

09/741,388

=> file caplus

FILE 'CAPLUS' ENTERED AT 10:52:25 ON 30 OCT 2003

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.


FILE COVERS 1907 - 30 Oct 2003 VOL 139 ISS 18

FILE LAST UPDATED: 29 Oct 2003 (20031029/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d que

L1 STR



G1 N,X

Structure attributes must be viewed using STN Express query preparation.

L3 20 SEA FILE=REGISTRY SSS FUL L1

L4 2 SEA FILE=CAPLUS L3

=> d l4 1-2 ibib abs hitstr

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 2001:396863 CAPLUS


DOCUMENT NUMBER: 135:19656

TITLE: Preparation of 4-[pyridin-4-yl(or pyrimidin-4-yl)]-1H-

imidazoles as B-Raf kinase inhibitors
 INVENTOR(S): Dean, David Kenneth; Lovell, Peter John; Takle, Andrew Kenneth
 PATENT ASSIGNEE(S): Smithkline Beecham P.L.C., UK
 SOURCE: PCT Int. Appl., 53 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001038324	A2	20010531	WO 2000-GB4413	20001120
WO 2001038324	A3	20020510		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
EP 1232153	A2	20020821	EP 2000-977660	20001120
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
JP 2003514906	T2	20030422	JP 2001-540087	20001120
PRIORITY APPLN. INFO.:				
			US 1999-166814P	P 19991122
			US 1999-166885P	P 19991122
			US 1999-166886P	P 19991122
			US 1999-166895P	P 19991122
			WO 2000-GB4413	W 20001120

OTHER SOURCE(S): MARPAT 135:19656
 GI



AB The title compds. [I; X = O, CH₂, S, NH, or XR₁ = H; V = CH, N; Y = NR₁₀R₁₁, NR₁₀C(:Z)NR₁₀R₁₁, NR₁₀CO₂R₁₁, NR₁₀SO₂R₁₁; Ar = (un)substituted Ph, 5-6 membered heteroaryl; n = 0-4; R₁ = H, alkyl, aryl, etc.; R₂, R₃ = alkyl, or R₂ and R₃ together with the carbon atom to which they are attached form (un)substituted cycloalkyl, cycloalkenyl, 5-7 membered heterocyclyl; R₄ = H, halo, etc.; R₁₀, R₁₁ = H, alkyl, etc.; Z = O, S], useful as B-Raf kinase inhibitors for the treatment of neurotraumatic diseases, were prepd. E.g., a multi-step synthesis of I [XR₁ = H; V = CH; Y = NHCO₂tBu; n = 1; Ar = 4-Cl-3-MeOC₆H₃; R₂, R₃ = Me; R₄ = H] was given. The exemplified compds. I were found to be effective in inhibiting B-Raf mediated phosphorylation of GST-kdMEK substrate having IC₅₀'s of < 3 .mu.M.

IT 342434-87-1P


09/741,388

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(prepn. of 4-[pyridin-4-yl(or pyrimidin-4-yl)]-1H-imidazoles as B-Raf kinase inhibitors)

RN 342434-87-1 CAPLUS

CN Phenol, 5-[2-(2-amino-1,1-dimethylethyl)-5-(2-amino-4-pyrimidinyl)-1H-imidazol-4-yl]-2-chloro- (9CI) (CA INDEX NAME)



IT 342434-88-2P 342434-89-3P 342434-90-6P

342434-91-7P 342434-92-8P 342434-93-9P

342434-94-0P 342434-95-1P 342434-96-2P


342434-97-3P 342434-98-4P 342434-99-5P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of 4-[pyridin-4-yl(or pyrimidin-4-yl)]-1H-imidazoles as B-Raf kinase inhibitors)

RN 342434-88-2 CAPLUS


CN Phenol, 5-[5-(2-amino-4-pyrimidinyl)-2-[2-[[[3,4-dichlorophenyl)methyl]amino]-1,1-dimethylethyl]-1H-imidazol-4-yl]-2-chloro- (9CI) (CA INDEX NAME)



RN 342434-89-3 CAPLUS


CN Phenol, 5-[5-(2-amino-4-pyrimidinyl)-2-[2-[[2-(3,4-difluorophenoxy)ethyl]amino]-1,1-dimethylethyl]-1H-imidazol-4-yl]-2-chloro- (9CI) (CA INDEX NAME)

09/741,388




RN 342434-90-6 CAPLUS

CN Phenol, 5-[5-(2-amino-4-pyrimidinyl)-2-[1,1-dimethyl-2-(1-piperidinyl)ethyl]-1H-imidazol-4-yl]-2-chloro- (9CI) (CA INDEX NAME)



RN 342434-91-7 CAPLUS


CN Phenol, 5-[5-(2-amino-4-pyrimidinyl)-2-[2-[[2-(4-chlorophenoxy)ethyl]amino]-1,1-dimethylethyl]-1H-imidazol-4-yl]-2-chloro- (9CI) (CA INDEX NAME)



RN 342434-92-8 CAPLUS


CN Phenol, 5-[5-(2-amino-4-pyrimidinyl)-2-[1,1-dimethyl-2-[(2-thienylmethyl)amino]ethyl]-1H-imidazol-4-yl]-2-chloro- (9CI) (CA INDEX NAME)

09/741,388




RN 342434-93-9 CAPLUS

CN Phenol, 5-[5-(2-amino-4-pyrimidinyl)-2-[1,1-dimethyl-2-[[[4-(trifluoromethoxy)phenyl]methyl]amino]ethyl]-1H-imidazol-4-yl]-2-chloro- (9CI) (CA INDEX NAME)



RN 342434-94-0 CAPLUS


CN Phenol, 5-[5-(2-amino-4-pyrimidinyl)-2-[2-[[[3-methoxyphenyl]methyl]amino]-1,1-dimethylethyl]-1H-imidazol-4-yl]-2-chloro- (9CI) (CA INDEX NAME)



RN 342434-95-1 CAPLUS


CN Phenol, 5-[5-(2-amino-4-pyrimidinyl)-2-[2-[[[3,4-difluorophenyl]methyl]amino]-1,1-dimethylethyl]-1H-imidazol-4-yl]-2-chloro- (9CI) (CA INDEX NAME)

09/741,388




RN 342434-96-2 CAPLUS

CN Phenol, 5-[5-(2-amino-4-pyrimidinyl)-2-[2-[[(3,5-dichlorophenyl)methyl]amino]-1,1-dimethylethyl]-1H-imidazol-4-yl]-2-chloro- (9CI) (CA INDEX NAME)



RN 342434-97-3 CAPLUS


CN Phenol, 5-[5-(2-amino-4-pyrimidinyl)-2-[2-[[[4-(1,1-dimethylethyl)phenyl]methyl]amino]-1,1-dimethylethyl]-1H-imidazol-4-yl]-2-chloro- (9CI) (CA INDEX NAME)



RN 342434-98-4 CAPLUS


CN Phenol, 5-[5-(2-amino-4-pyrimidinyl)-2-[1,1-dimethyl-2-[[[3-(trifluoromethyl)phenoxy]phenyl]methyl]amino]ethyl]-1H-imidazol-4-yl]-2-chloro- (9CI) (CA INDEX NAME)

09/741,388



RN 342434-99-5 CAPLUS

CN Phenol, 5-[5-(2-amino-4-pyrimidinyl)-2-[1,1-dimethyl-2-[[3-(3-phenoxyphenyl)methyl]amino]ethyl]-1H-imidazol-4-yl]-2-chloro- (9CI) (CA INDEX NAME)




IT 342435-21-6P 342435-22-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. of 4-[pyridin-4-yl(or pyrimidin-4-yl)]-1H-imidazoles as B-Raf kinase inhibitors)


RN 342435-21-6 CAPLUS

CN Carbamic acid, [2-[4-(2-amino-4-pyrimidinyl)-5-(4-chloro-3-methoxyphenyl)-1H-imidazol-2-yl]-2-methylpropyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)




RN 342435-22-7 CAPLUS

CN 2-Pyrimidinamine, 4-[2-(2-amino-1,1-dimethylethyl)-5-(4-chloro-3-methoxyphenyl)-1H-imidazol-4-yl]- (9CI) (CA INDEX NAME)



L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 2000:314693 CAPLUS
 DOCUMENT NUMBER: 132:321861
 TITLE: Anti-inflammatory 4-phenyl-5-pyrimidinyl-imidazoles
 and their preparation, compositions, and use
 INVENTOR(S): Revesz, Laszlo
 PATENT ASSIGNEE(S): Novartis A.-G., Switz.; Novartis-Erfindungen
 Verwaltungsgesellschaft m.b.H.
 SOURCE: PCT Int. Appl., 43 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000026209	A1	20000511	WO 1999-EP8358	19991102
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 9964765	A1	20000522	AU 1999-64765	19991102
PRIORITY APPLN. INFO.:				
			GB 1998-24063	A 19981103
			GB 1999-3440	A 19990215
			WO 1999-EP8358	W 19991102
OTHER SOURCE(S): MARPAT 132:321861				
GI				




AB Novel 4-phenyl-5-[2-(Y-X)-4-pyrimidinyl]imidazoles [Y = aryl, cycloalkyl, aralkyl, or cycloalkylalkyl; X = N, O, S] and their pharmaceutically acceptable and cleavable esters and acid addn. salts are provided. In particular, compds. I and their esters and salts are disclosed [wherein R1 = pyrimidinyl; X = NR6Y, O, S; R6 = H, alkyl, aryl, heteroaryl, aralkyl, or heteroaralkyl; Y = alkylene or bond; R2 = (un)substituted Ph; R3 = H, heterocyclyl, heterocyclylalkyl, (un)substituted alk(en/yn)yl, cycloalkyl, aryl, etc.; R4 = H, (un)substituted alkyl, cycloalkyl, heterocycloalkyl, aryl, or heteroaryl; R5 = (un)substituted aryl, heteroaryl, or cycloalkyl]. The compds. are MAP kinase inhibitors, useful pharmaceutically for treating TNF.alpha. and IL-1 mediated diseases such as rheumatoid arthritis and diseases of bone metab., e.g., osteoporosis. Use of the compds. as antiinflammatory and immunosuppressant agents is specifically claimed. For example, 4-methyl-2-(methylthio)pyrimidine was lithiated with BuLi and C-acylated with 4-fluoro-N-methoxy-N-methylbenzamide to give 65% 4-fluoro-2'-(2-methylthio-4-pyrimidinyl)acetophenone. The latter underwent .alpha.-bromination (100%), cyclization with formamide and ammonium formate to give an imidazole (38%), S-oxidn. with mCPBA to give the sulfoxide (70%), and substitution reaction with 3-fluoroaniline (18%) to give title compd. II. The compds. had typical IC50 values of 100 nM to 10 nM or less in a p38 MAP kinase inhibition assay, and gave up to approx. 50% inhibition of TNF prodn. in LPS-stimulated mice at 10 mg/kg orally.

IT **266357-93-1P**, 4-(4-Fluorophenyl)-5-[2-(3-fluorophenylamino)-4-pyrimidinyl]-2-tert-butylimidazole **266358-00-3P**, (R)-5-(4-Fluorophenyl)-2-(1-amino-1-methylethyl)-4-[2-[1-phenylethylamino]-4-pyrimidinyl]-1H-imidazole **266358-01-4P**, (S)-5-(4-Fluorophenyl)-2-(1-amino-1-methylethyl)-4-[2-[1-phenylethylamino]-4-pyrimidinyl]-1H-imidazole **266358-02-5P**, 5-(4-Fluorophenyl)-2-(1-amino-1-methylethyl)-4-(2-cyclohexylamino-4-pyrimidinyl)-1H-imidazole **266358-03-6P**, 5-(4-Fluorophenyl)-2-(1-amino-1-methylethyl)-4-[2-[(cyclopropylmethyl)amino]-4-pyrimidinyl]-1H-imidazole
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (target compd.; prepn. of phenylpyrimidinylimidazoles as antiinflammatories and immunosuppressants)

RN 266357-93-1 CAPLUS

CN 2-Pyrimidinamine, 4-[2-(1,1-dimethylethyl)-5-(4-fluorophenyl)-1H-imidazol-4-yl]-N-(3-fluorophenyl)- (9CI) (CA INDEX NAME)


09/741,388



RN 266358-00-3 CAPLUS

CN 2-Pyrimidinamine, 4-[2-(1-amino-1-methylethyl)-5-(4-fluorophenyl)-1H-imidazol-4-yl]-N-[(1R)-1-phenylethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 266358-01-4 CAPLUS

CN 2-Pyrimidinamine, 4-[2-(1-amino-1-methylethyl)-5-(4-fluorophenyl)-1H-imidazol-4-yl]-N-[(1S)-1-phenylethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



09/741,388


RN 266358-02-5 CAPLUS

CN 2-Pyrimidinamine, 4-[2-(1-amino-1-methylethyl)-5-(4-fluorophenyl)-1H-imidazol-4-yl]-N-cyclohexyl- (9CI) (CA INDEX NAME)



RN 266358-03-6 CAPLUS

CN 2-Pyrimidinamine, 4-[2-(1-amino-1-methylethyl)-5-(4-fluorophenyl)-1H-imidazol-4-yl]-N-(cyclopropylmethyl)- (9CI) (CA INDEX NAME)



REFERENCE COUNT:

2

THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT